

## DOUBLE SIDED SIDEWALK SIGNS WITH ALUMINUM HEADER PROFILES

This heavy duty pavement sign is a perfect use for displaying posters and advertising signs with your own logo. Provides practical use, quick change-poster and logo. Aluminium profile is an ideal spot for a logo or a permanent message, suitable for outdoor conditions. You can laminate on aluminium header profile. Galvanised steel backing adds extra strength and stability. The frame is hinged for easy transport and storage, with a locking stay to secure when open. Standard in silver anodised, available in standard RAL colours upon request with MOQ.

## **KEY SELECTION ATTIRIBUTES**

- \* Double-sided Heavy Duty Pavement Sign with "Click Clack" Snap-open design.
- \* Suitable for Outdoor use with poster sizes 20"x30", 22"x28" and 30"x40"
- \* One set includes double sided snap open frames for quick poster change, 2 aluminium header profiles for displaying logo or permanent messages, 2 anti-reflex poster covers, hinges for easy transport and storage with a locking stay to secure when open, anodised legs and scissors for keeping the system stable.
- \* Logo can be laminated on aluminum header profile.
- \* Optional Brochure Baskets are not included, should be ordered separately.
- $\ensuremath{^*}$  Heavy back panel provides stability.
- \* Natural silver-anodized, black in standard and various RAL colors available with antimicrobial powder coating.
- \* Packed in a single box with an easy-to-understand instruction sheet.
- \* No tool assembly.
- \* Each unit has water drainage slots on bottom profiles.





## **COLOURS IN STOCK**





Silver

# COLOUR OPTIONS

Black Anodised	
Silver Anodised	
White - RAL 9003	
Black - RAL 9005	

Red- RAL 3020	
Blue - RAL 5002	
Green - RAL 6029	
Yellow - RAL 1021	

## SUITABLE FOR

Premium A Board with Profile Logo can be used for OUTDOOR applications, for signage needs in many locations like shopping centers, markets, groceries, hotels, offices airports, shops and stores, hospitals, schools, apartments and many more.

## **WATCH VIDEO**



Watch video at our website www.mtdisplaysllc.com

# **FEATURES**













## **EXPLODED VIEW**



## TECHNICAL DRAWING





									WEIGHT	PACKING SIZE
ARTICLE	POSTER	HEADER PRINTING	Χ	X1	H1	H2	F1	FEET	WITH PACKING	*WXHXD
UAP1305N23	20" X 30"	20" X 4.72"	22.01"	30.51"	42.91"	45.67"	21.69"	43.66"	18.739 lbs	24.02" X 47.64" X 4.53"
UAP1305N22	22" X 28"	22" X 4.72"	22.20"	28.94"	40.55"	43.11"	21.89"	41.10"	18.408 lbs	23.62" X 45.28" X 4.53"
UAP1305N34	30" X 40"	30" X 4.72"	32.01"	37.01"	52.36"	55.51"	31.69"	53.50"	30.423 lbs	34.25" X 57.48" X 4.53"

# **OPTIONAL ACCESSORIES**



A board basket 8.27"x 11.69" size to hang on scissors. UYTS3000A4

# PHYSICAL DATA

#### Material

1.18" aluminium profile click clack snap open frame, PET anti-reflex poster cover, galvanised metal backing, anodized legs. Alumium header profiles.

#### **Poster Material & Thickness**

0.0039" - 0.0078" for standard product. Max poster thickness is 0.12". Any non-standard poster thicknesses should be indicated with order.

#### **Surface Finish**

Silver anodized aluminum header profiles. Natural silver-anodized, or black frame in standard and various RAL colors available with antimicrobial powder coating. Call for custom color requests.

#### **Recycled Content**

Up to 78% recycled content used.

#### Warranty

All products are guaranteed for 2 years by MT Displays with below conditions: **Warranty Conditions** 

#### **Storage Conditions**

Goods should be stored at 32°F to 77°F in a dry place. Store in the original package.

#### **Installation Considerations**

Premium A Boards are packed in a single box with an easy-to-understand instruction sheet. One set includes double sided snap open frames for quick poster change, 2 aluminium header profiles for displaying logo or permanent messages, 2 anti-reflex poster covers, hinges for easy transport and storage with a locking stay to secure when open, anodised legs and scissors for keeping the system stable. Each unit has water drainage slots on bottom profiles. No tool assembly. Optional Brochure Baskets are not included, should be ordered seperately.

#### **Design Considerations**

Double-sided Heavy Duty Pavement Sign with "Click Clack" snap-open design. Suitable for silk screen printing on frame, max. letter height is 0.59". Logo can be laminated on aluminum header profile. Suitable for 20"x30", 22"x28" and 30"x40" poster sizes with a sight angle that stops passers-by. Heavy back panel provides stability.

# **Cleaning and Disinfecting**

Clean your displays, with damp microfiber clothes, rinsed with simply water or warm, soapy or gentle shampooed water. Avoid using vinegar, abrasive, acidic, alcohol-based or heavy cleaners or cleaners containing Ammonia. Only after cleaning the product, if needed, simply apply disinfectant or sanitizer that is in compliance with your local guidelines and regulations.



## **PRINT TEMPLATES**

Premium A Board with Profile Logo - 20" x 30" Document Size: 20.4" x 30.4" (Includes Bleeds) Finished Size: 20" x 30" (508 x 762 mm) Print Premium A Board with Profile Logo - 22" x 28" Document Size: 22.4" x 28.4" (Includes Bleeds) Finished Size: 22" x 28" (558.8 x 711.2 mm) Premium A Board with Profile Logo - 30" x 40" Document Size: 30.4" x 40.4" (Includes Bleeds) Finished Size: 30" x 40" (762 x 1016 mm) Print

# INSTALLATION INSTRUCTIONS

## Premium A Board with Logo / 1008656













Each product includes 2 PET cover.



- Please inform the order number on the product or on the carton (e.g. 1/110001394-460) to the place that you have made the purchase if anyproblem with the product occurs.
- All rights reserved. All pictures, figures and writings are secured internationally by copy-right law. Infringements will be sued by civil and legal law.

This technical sheet's contents are all subject to update and modification at MT Displays' exclusive discretion. There is nothing official about this document. For final and legally binding information, please get in touch with the sales staff at MT Displays.

