

WALL SIGN SYSTEM



CURVED WALL SIGN SYSTEM FOR WAY FINDING NEEDS

Fast and simple!

The Wall Sign system is a perfect solution for wall posters and signs. It allows clear visibility for the poster and has an aesthetically curved shape. The stylish curved wall Sign systems in various sizes suit the room sign and wayfinding needs within the building. Designed for paper inserts and is offered in a variety of profile types to match different projects. The front cover is anti-reflex, which is flexed into place after inserting the paper. Poster inserts can be created from common inkjet or laser printers. Printed-paper inserts may be in portrait or landscape outline and various sizes fitting in 4 profile types.

KEY SELECTION ATTRIBUTES

- * Wall sign with curved design.
- * Ideal for wayfinding needs in buildings.
- * Suitable for printed paper inserts.
- * Natural silver anodised aluminium profiles.
- * Various sizes fitting in 4 profile types.
- * Anti-reflex and clear front cover for protection.
- * Flat or arc endcap versions for profiles.
- * Comes with double-sided tape and one suction cup.



5.83" x 11.81"



4.13" x 9.84"







2.91" x 5.91"



2.05" x 5.91"



COLOURS IN STOCK COLOUR OPTIONS



SUITABLE FOR

Wall Signs can be used for INDOOR applications, for signage needs in many locations like shopping centers, markets, groceries, hotels, offices airports, shops and stores, hospitals, schools, apartments and many more.

WATCH VIDEO



Watch video at our website www.mtdisplays.com

FEATURES



EXPLODED VIEW



Double sided tape



Flat cap



Arc cap


OPTIONAL ACCESSORIES




Suction Cup / UYAA006010

TECHNICAL DRAWING


2.05"




2.91"



4.13"



5.83"



T: +1 855-478-0652 / info@mtdisplaysllc.com / www.mtdisplaysllc.com

ARTICLES

WALL SIGN SYSTEM 2.05"					WEIGHT	PACKING SIZE (10 Pcs)
ARTICLE	MODEL	EXTERNAL (x-y)	POSTER	COPY	WITH PACKING	*W X H X D
UDSS20NA10	Flat Endcap	2.68" X 4.17"	2.05" X 3.94"	1.81" X 3.94"	1.477 lbs	6.30" X 5.51" X 3.94"
UDSS20NA15	Flat Endcap	2.68" X 6.14"	2.05" X 5.91"	1.81" X 5.91"	2.171 lbs	6.30" X 7.48" X 3.94"
UDSS20NA20	Flat Endcap	2.68" X 8.11"	2.05" X 7.87"	1.81" X 7.87"	2.866 lbs	6.30" X 9.45" X 3.94"
UDSS20NA25	Flat Endcap	2.68" X 10.08"	2.05" X 9.84"	1.81" X 9.84"	3.560 lbs	6.30" X 11.42" X 3.94"
UDSS20NA30	Flat Endcap	2.68" X 12.05"	2.05" X 11.81"	1.81" X 11.81"	4.254 lbs	6.30" X 13.39" X 3.94"
UDSS20NA35	Flat Endcap	2.68" X 14.02"	2.05" X 13.78"	1.81" X 13.78"	4.949 lbs	6.30" X 15.35" X 3.94"
UDSS20NA40	Flat Endcap	2.68" X 15.98"	2.05" X 15.75"	1.81" X 15.75"	5.643 lbs	6.30" X 17.32" X 3.94"
UDSS20NA45	Flat Endcap	2.68" X 17.95"	2.05" X 17.72"	1.81" X 17.72"	6.338 lbs	6.30" X 19.29" X 3.94"
UDSS20NB10	Arc Endcap	2.68" X 4.17"	2.05" X 3.94"	1.81" X 3.70"	1.477 lbs	6.30" X 5.51" X 3.94"
UDSS20NB15	Arc Endcap	2.68" X 6.14"	2.05" X 5.91"	1.81" X 5.67"	2.171 lbs	6.30" X 7.48" X 3.94"
UDSS20NB20	Arc Endcap	2.68" X 8.11"	2.05" X 7.87"	1.81" X 7.64"	2.866 lbs	6.30" X 9.45" X 3.94"
UDSS20NB25	Arc Endcap	2.68" X 10.08"	2.05" X 9.84"	1.81" X 9.61"	3.560 lbs	6.30" X 11.42" X 3.94"
UDSS20NB30	Arc Endcap	2.68" X 12.05"	2.05" X 11.81"	1.81" X 11.57"	4.254 lbs	6.30" X 13.39" X 3.94"
UDSS20NB35	Arc Endcap	2.68" X 14.02"	2.05" X 13.78"	1.81" X 13.54"	4.949 lbs	6.30" X 15.35" X 3.94"
UDSS20NB40	Arc Endcap	2.68" X 15.98"	2.05" X 15.75"	1.81" X 15.51"	5.643 lbs	6.30" X 17.32" X 3.94"
UDSS20NB45	Arc Endcap	2.68" X 17.95"	2.05" X 17.72"	1.81" X 17.48"	6.338 lbs	6.30" X 19.29" X 3.94"

WALL SIGN SYSTEM 4.13"					WEIGHT	PACKING SIZE (10 Pcs)
ARTICLE	MODEL	EXTERNAL (x-y)	POSTER	COPY	WITH PACKING	*W X H X D
UDS105NA25	Flat Endcap	4.72" X 10.08"	4.13" X 9.84"	3.90" X 9.84"	5.180 lbs	10.63" X 11.42" X 3.94"
UDS105NA30	Flat Endcap	4.72" X 12.05"	4.13" X 11.81"	3.90" X 11.81"	6.239 lbs	10.63" X 13.39" X 3.94"
UDS105NA35	Flat Endcap	4.72" X 14.02"	4.13" X 13.78"	3.90" X 13.78"	7.187 lbs	10.63" X 15.35" X 3.94"
UDS105NA40	Flat Endcap	4.72" X 15.98"	4.13" X 15.75"	3.90" X 15.75"	8.245 lbs	10.63" X 17.32" X 3.94"
UDS105NA50	Flat Endcap	4.72" X 19.92"	4.13" X 19.69"	3.90" X 19.69"	10.361 lbs	10.63" X 21.26" X 3.94"
UDS105NA60	Flat Endcap	4.72" X 23.86"	4.13" X 23.62"	3.90" X 23.62"	12.919 lbs	10.63" X 25.20" X 3.94"
UDS105NB25	Arc Endcap	4.72" X 10.08"	4.13" X 9.84"	3.90" X 9.61"	5.180 lbs	10.63" X 11.42" X 3.94"
UDS105NB30	Arc Endcap	4.72" X 12.05"	4.13" X 11.81"	3.90" X 11.57"	6.239 lbs	10.63" X 13.39" X 3.94"
UDS105NB35	Arc Endcap	4.72" X 14.02"	4.13" X 13.78"	3.90" X 13.56"	7.187 lbs	10.63" X 15.35" X 3.94"
UDS105NB40	Arc Endcap	4.72" X 15.98"	4.13" X 15.75"	3.90" X 15.51"	8.245 lbs	10.63" X 17.32" X 3.94"
UDS105NB50	Arc Endcap	4.72" X 19.92"	4.13" X 19.69"	3.90" X 19.45"	10.361 lbs	10.63" X 21.26" X 3.94"
UDS105NB60	Arc Endcap	4.72" X 23.86"	4.13" X 23.62"	3.90" X 23.39"	12.919 lbs	10.63" X 25.20" X 3.94"

PHYSICAL DATA

Material

0.59" silver anodised aluminium profile.
Anti-reflex clear PET front cover.

Poster Material & Thickness

Suitable for paper inserts in thickness 7mm for standard product. Any non-standard paper thicknesses should be indicated with order.

Surface Finish

Silver anodized or black colour, antimicrobial powder coating. Custom colors also available, call for custom color requests.

Recycled Content

Up to 78% recycled content used.

Warranty

All products are guaranteed for 3 years by MT Displays with below conditions:
[Warranty Conditions](#)

Installation Considerations

Each sign includes double sided tape, one suction cup and mounting instruction sheet. Use the suction cup to easily remove the inserts from the signs by simply attaching it to the inserts and pulling. Compatible signage methods; printed papers from common printers, cut vinyl, digitally printed vinyl, screen-printing. Please clean the surface before applying the double-sided tape for better application.

Storage Conditions

Goods should be stored at 32°F to 77°F in a dry place. Store in the original package.

WALL SIGN SYSTEM 2.91"					WEIGHT	PACKING SIZE (10 Pcs)
ARTICLE	MODEL	EXTERNAL (x-y)	POSTER	COPY	WITH PACKING	*W X H X D
UDS740NA15	Flat Endcap	3.54" X 6.14"	2.91" X 5.91"	2.68" X 5.91"	2.380 lbs	8.27" X 7.48" X 3.94"
UDS740NA20	Flat Endcap	3.54" X 8.11"	2.91" X 7.87"	2.68" X 7.87"	3.152 lbs	8.27" X 9.45" X 3.94"
UDS740NA25	Flat Endcap	3.54" X 10.08"	2.91" X 9.84"	2.68" X 9.84"	3.924 lbs	8.27" X 11.42" X 3.94"
UDS740NA30	Flat Endcap	3.54" X 12.05"	2.91" X 11.81"	2.68" X 11.81"	4.629 lbs	8.27" X 13.39" X 3.94"
UDS740NA35	Flat Endcap	3.54" X 14.02"	2.91" X 13.78"	2.68" X 13.78"	5.423 lbs	8.27" X 15.35" X 3.94"
UDS740NA40	Flat Endcap	3.54" X 15.98"	2.91" X 15.75"	2.68" X 15.75"	5.533 lbs	8.27" X 17.32" X 3.94"
UDS740NA45	Flat Endcap	3.54" X 17.95"	2.91" X 17.72"	2.68" X 17.72"	6.305 lbs	8.27" X 19.29" X 3.94"
UDS740NA50	Flat Endcap	3.54" X 19.92"	2.91" X 19.69"	2.68" X 19.69"	7.098 lbs	8.27" X 21.26" X 3.94"
UDS740NB15	Arc Endcap	3.54" X 6.14"	2.91" X 5.91"	2.68" X 5.67"	2.380 lbs	8.27" X 7.48" X 3.94"
UDS740NB20	Arc Endcap	3.54" X 8.11"	2.91" X 7.87"	2.68" X 7.64"	3.152 lbs	8.27" X 9.45" X 3.94"
UDS740NB25	Arc Endcap	3.54" X 10.08"	2.91" X 9.84"	2.68" X 9.61"	3.924 lbs	8.27" X 11.42" X 3.94"
UDS740NB30	Arc Endcap	3.54" X 12.05"	2.91" X 11.81"	2.68" X 11.57"	4.629 lbs	8.27" X 13.39" X 3.94"
UDS740NB35	Arc Endcap	3.54" X 14.02"	2.91" X 13.78"	2.68" X 13.54"	5.423 lbs	8.27" X 15.35" X 3.94"
UDS740NB40	Arc Endcap	3.54" X 15.98"	2.91" X 15.75"	2.68" X 15.51"	5.533 lbs	8.27" X 17.32" X 3.94"
UDS740NB45	Arc Endcap	3.54" X 17.95"	2.91" X 17.72"	2.68" X 17.48"	6.305 lbs	8.27" X 19.29" X 3.94"
UDS740NB50	Arc Endcap	3.54" X 19.92"	2.91" X 19.69"	2.68" X 19.45"	7.098 lbs	8.27" X 21.26" X 3.94"

WALL SIGN SYSTEM 5.83"					WEIGHT	PACKING SIZE (10 Pcs)
ARTICLE	MODEL	EXTERNAL (x-y)	POSTER	COPY	WITH PACKING	*W X H X D
UDS148NA30	Flat Endcap	6.38" X 12.05"	5.83" X 11.81"	5.59" X 11.81"	7.407 lbs	14.17" X 13.39" X 3.94"
UDS148NA35	Flat Endcap	6.38" X 14.02"	5.83" X 13.78"	5.59" X 13.78"	8.730 lbs	14.17" X 15.35" X 3.94"
UDS148NA40	Flat Endcap	6.38" X 15.98"	5.83" X 15.75"	5.59" X 15.75"	10.008 lbs	14.17" X 17.32" X 3.94"
UDS148NA50	Flat Endcap	6.38" X 19.92"	5.83" X 19.69"	5.59" X 19.69"	12.478 lbs	14.17" X 21.26" X 3.94"
UDS148NA60	Flat Endcap	6.38" X 23.86"	5.83" X 23.62"	5.59" X 23.62"	15.123 lbs	14.17" X 25.20" X 3.94"
UDS148NA65	Flat Endcap	6.38" X 25.83"	5.83" X 25.59"	5.59" X 25.59"	16.336 lbs	14.17" X 27.17" X 3.94"
UDS148NB30	Arc Endcap	6.38" X 12.05"	5.83" X 11.81"	5.59" X 11.57"	7.407 lbs	14.17" X 13.39" X 3.94"
UDS148NB35	Arc Endcap	6.38" X 14.02"	5.83" X 13.78"	5.59" X 13.54"	8.730 lbs	14.17" X 15.35" X 3.94"
UDS148NB40	Arc Endcap	6.38" X 15.98"	5.83" X 15.75"	5.59" X 15.51"	10.008 lbs	14.17" X 17.32" X 3.94"
UDS148NB50	Arc Endcap	6.38" X 19.92"	5.83" X 19.69"	5.59" X 19.45"	12.478 lbs	14.17" X 21.26" X 3.94"
UDS148NB60	Arc Endcap	6.38" X 23.86"	5.83" X 23.62"	5.59" X 23.39"	15.123 lbs	14.17" X 25.20" X 3.94"
UDS148NB65	Arc Endcap	6.38" X 25.83"	5.83" X 25.59"	5.59" X 25.35"	16.336 lbs	14.17" X 27.17" X 3.94"

Cleaning and Disinfecting

Clean your displays, with damp microfiber clothes, rinsed with simply water or warm, soapy or gentle shampooed water. Avoid using vinegar, abrasive, acidic, alcohol-based or heavy cleaners or cleaners containing Ammonia. Only after cleaning the product, if needed, simply apply disinfectant or sanitizer that is in compliance with your local guidelines and regulations.


Design Considerations

Compatible signage methods; printed papers from common, printers, cut vinyl, digitally printed vinyl, screen-printing. Please clean the surface before applying the double-sided tape for better application.




INSTALLATION INSTRUCTIONS

Wall Sign System / 1006839



Wall mounting



Suction cap

Each sign includes double sided tape and one suction cup.

UYAA006010



- Please inform the order number on the product or on the carton (e.g. 1/110001394-460) to the place that you have made the purchase if anyproblem with the product occurs.
- All rights reserved. All pictures, figures and writings are secured internationally by copy-right law. Infringements will be sued by civil and legal law.

This technical sheet's contents are all subject to update and modification at MT Displays' exclusive discretion. There is nothing official about this document. For final and legally binding information, please get in touch with the sales staff at MT Displays.

