

DOUBLE SIDED SIDEWALK SIGNS WITH EASY SNAP OPENING WEATHERPROOF DESIGN

35 mm weatherproof. Suitable for use under rainy outdoor conditions. When poster is placed inside the water wick, it is protected, weatherproof. Header board and brochure basket options are present. Easy-to-open snap frame includes the anti-reflex cover in all standard A boards. Frame size alternatives are 19.69"x27.56", 27.56"x39.37", 20"x30", 30"x40".

KEY SELECTION ATTRIBUTES

- * Patent protected, double-sided Pavement Sign with easy-to-open snap frame design, suitable for weatherproof usage.
- \ast Suitable for use under rainy outdoor conditions with 20"x30" and 30"x40" poster sizes.
- * One set includes double sided 35mm aluminium profile snap open frames with sealing and water drainage slots on bottom profiles, PET anti-reflex poster covers, PS backings, mill finish legs, hinges, and scissors for keeping the system stable.
- * Weatherproof IP55: When poster is placed inside the water wick, it is

protected.

- * Optional Wire Header Holder, Header Board and Brochure Baskets are not included, should be ordered separately.
- * Please use pull sticker to take off cover.
- * Natural silver-anodized, black in standard and various RAL colors available with antimicrobial powder coating.
- * Packed in a single box with easy mounting instruction sheet. No tool assembly.



COLOURS IN STOCK





COLOUR OPTIONS



Red- RAL 3020	
Blue - RAL 5002	
Green - RAL 6029	
Yellow - RAL 1021	

SUITABLE FOR

Weatherproof A Boards can be used for INDOOR and OUTDOOR applications, for signage needs in many locations like shopping centers, markets, groceries, hotels, offices airports, shops and stores, hospitals, schools, apartments and many more.

WATCH VIDEO



Watch video at our website www.mtdisplaysllc.com

FEATURES


















ARTICLES

					WEIGHT	PACKING SIZE
ARTICLE	POSTER	Х	Υ	Н	WITH PACKING	*W X H X D
UAB3550N22	22"X 28"	24.49"	28.86"	37.40"	17.636 lbs	25.39"X 41.34"X 4.33"

HEADER	WEIGHT		
ARTICLE	F1	F2	WITH PACKING
UYTT355022	24.60"	21.45"	

HEADER	HOLI	WEIGHT	
ARTICL	E	Х	WITH PACKING
UYFT3550	122	22 24"	

OPTIONAL ACCESSORIES



A Board wire header holder.



PHYSICAL DATA

Material

1.26" aluminium profile click clack snap open frame, PET anti-reflex poster cover, galvanised metal PS backing. PVC Foam optional header.

Poster Material & Thickness

0.0039" – 0.0078" with gasket/water wick for standard product. Max. poster thickness is 0.08" for low density rigid posters such as PVC foam, PP, etc. Any non-standard poster thickness should be indicated with order.

Surface Finish

Natural silver-anodized, or black in standard and various RAL colors available with antimicrobial powder coating. Call for custom color requests.

Recycled Content

Up to 78% recycled content used.

PRINT TEMPLATES

Weatherproof A Board - 22" x 28"

Document Size: 22.4" x 28.4" (Includes Bleeds) **Finished Size:** 22" x 28" (558.8 x 711.2 mm)

Warranty

All products are guaranteed for 2 years by MT Displays with below conditions: Warranty Conditions

Installation Considerations

Weatherproof A Boards are packed in a single box with an easy-to-understand instruction sheet. No tool assembly. One set includes double sided 35mm aluminium profile snap open frames with sealing and water drainage slots on bottom profiles, PET anti-reflex poster covers, PS backings, mill finish legs, hinges, and scissors for keeping the system stable. Please use pull sticker to take off cover. Optional Wire Header Holder, Header Board and Brochure Baskets are not included, should be ordered separately.

Storage Conditions

Goods should be stored at 32°F to 77°F in a dry place. Store in the original package.

Design Considerations

Patent protected, double-sided Pavement Sign with easy-to-open snap frame design. Suitable for use under rainy outdoor conditions with 20"x30" and 30"x40" poster sizes. Weatherproof IP55: When poster is placed inside the water wick, it is protected. Suitable for silk screen printing, max. letter height is 0.63".

Cleaning and Disinfecting

Clean your displays, with damp microfiber clothes, rinsed with simply water or warm, soapy or gentle shampooed water. Avoid using vinegar, abrasive, acidic, alcohol-based or heavy cleaners or cleaners containing Ammonia. Only after cleaning the product, if needed, simply apply disinfectant or sanitizer that is in compliance with your local quidelines and regulations.

Patent

PCT/EP2018/060515

INSTALLATION INSTRUCTIONS

Weatherproof A Board / 1007029











Optional Header & Header Holder











Optional Basket





Note: Wire header holder, PVC Foam header and baskets are optional.





[•] Please inform the order number on the product or on the carton (e.g. 1/110001394-460) to the place that you have made the purchase if any problem with the product occurs.

This technical sheet's contents are all subject to update and modification at MT Displays' exclusive discretion. There is nothing official about this document. For final and legally binding information, please get in touch with the sales staff at MT Displays.



[·] All rights reserved. All pictures, figures and writings are secured internationally by copy-right law. Infringements will be sued by civil and legal law.