



BEST SELLER PAVEMENT SIGN IN THE WORLD!


A new stunning look for Pavement Signs! It consists of 2 main articles, one of which serves the frame while the other supports the base of the product. It is practical to change the poster. It can be easily loaded, has no sharp edges and has steel springs for flexibility.

KEY SELECTION ATTRIBUTES

- * Double-sided Pavement Sign with swinging steel spring design for flexibility and stability.
- * Patent protected (OHIM DM/084 128) WindPro® is heavy and robust pavement sign for OUTDOOR use with 2 main parts: frame and the waterbase.
- * Suitable for outdoor conditions between 5°F to 122°F.
- * Weatherproof & Wind Resistant: Suitable for windy and rainy outdoor conditions, the water wick around the frame protects the poster within. Waterproof IP55.
- * Suitable for 20"X30", 22"X28", 24"X36", 30"X40" poster sizes.
- * One set includes a double sided snap open 1.57" aluminium profile WindPro frame with 1.25" depth and water wick around, round mitred corners for safety, 2 anti-reflex PET poster covers, 1 strong PP backing, 4 x M10 nuts, 1 x 17 spanner, and HDPE Newtech heavy water base with wheels and washers for installation.
- * The spring connectors stabilize the position of your poster. Heavy-duty coil resist strong winds and return the sign to an upright position.
- * Heavy waterbase provide stability. Ground wheels in upside position enable easy movement of the product.
- * Round corners guarantee maximum safety on the pavement.
- * Please place the poster inside the water wick around the inner frame. The gasket in frame provides high vacuuming to UV resistant poster protection to keep the poster dry.
- * Optional header accessories are available upon request, not included in standard set. If the frame of WindPro is required with a "HEADER" option, then the standard frames cannot be used, header enabled frames must be ordered. Please contact our sales department for the frames suitable for use with header.
- * It is recommend to carry the product with the tool as shown (optional available) , when the base is full with water.
- * Natural silver-anodized, black and wood effect in standard and various RAL colors available with antimicrobial powder coating. Base standard in dark grey color or black, other colors are available upon request.
- * Packed unassembled with an easy mounting instruction sheet & fixing set. Assembly in 60 seconds.
- * Please use the wrench enclosed and tighten carefully. If tightened too much, the base can breach.
- * One top goes with two different bases. Snap open frame can be used in combination with two different bases.




Black




Silver



COLOURS IN STOCK



COLOUR OPTIONS



SUITABLE FOR

WindPro® can be used for INDOOR and OUTDOOR applications, for signage needs in many locations like shopping centers, markets, groceries, hotels, offices airports, shops and stores, hospitals, schools, apartments and many more.

WATCH VIDEO



Watch video at our website
www.mtdisplays.com


FEATURES



EXPLODED VIEW



TECHNICAL DRAWING



ARTICLES

FRAME					WEIGHT	PACKING SIZE
SILVER	BLACK	EXTERNAL (x-y)	POSTER	COPY	WITH PACKING	*W X H X D
USWP010NA1	USWP010BA1	26,02" X 35,75"	23,39" X 33,11"	22,91" X 32,64"	15,65 lbs	28,15" X 46,85" X 1,85"
USWP010NA0	USWP010BA0	35,75" X 49,45"	33,11" X 46,81"	32,64" X 46,34"	25,57 lbs	38,19" X 61,42" X 1,85"
USWP010NB2	USWP010BB2	22,32" X 30,20"	19,69" X 27,56"	19,21" X 27,09"	14,11 lbs	24,21" X 40,55" X 1,85"
USWP010NB1	USWP010BB1	30,20" X 42,01"	27,56" X 39,37"	27,09" X 38,90"	20,94 lbs	32,48" X 52,36" X 1,85"
USWP010N22	USWP010B22	24,65" X 30,67"	22,00" X 28,00"	21,54" X 27,56"	14,99 lbs	26,57" X 40,94" X 1,85"
USWP010N24	USWP010B24	26,65" X 38,66"	24,00" X 36,00"	23,54" X 35,55"	17,42 lbs	29,13" X 49,61" X 1,85"
USWP010N23	USWP010B23	22,64" X 32,64"	20,00" X 30,00"	19,53" X 29,53"	14,77 lbs	24,61" X 43,70" X 1,85"
USWP010N34	USWP010B34	32,64" X 42,64"	30,00" X 40,00"	29,53" X 39,53"	22,49 lbs	34,84" X 53,54" X 1,85"

FRAME					WEIGHT	PACKING SIZE
WOODL W/O CH	WOODL W CH	EXTERNAL (x-y)	POSTER	COPY	WITH PACKING	*W X H X D
USWP010WA1	USWP011WA1	26,02" X 35,75"	23,39" X 33,11"	22,91" X 32,64"	15,65 lbs	28,15" X 46,85" X 1,85"
USWP010WA0	USWP011WA0	35,75" X 49,45"	33,11" X 46,81"	32,64" X 46,34"	25,57 lbs	38,19" X 61,42" X 1,85"
USWP010WB2	USWP011WB2	22,32" X 30,20"	19,69" X 27,56"	19,21" X 27,09"	14,11 lbs	24,21" X 40,55" X 1,85"
USWP010WB1	USWP011WB1	30,20" X 42,01"	27,56" X 39,37"	27,09" X 38,90"	20,94 lbs	32,48" X 52,36" X 1,85"
USWP010W22	USWP011W22	24,65" X 30,67"	22,00" X 28,00"	21,54" X 27,56"	14,99 lbs	26,57" X 40,94" X 1,85"
USWP010W24	USWP011W24	26,65" X 38,66"	24,00" X 36,00"	23,54" X 35,55"	17,42 lbs	29,13" X 49,61" X 1,85"
USWP010W23	USWP011W23	22,64" X 32,64"	20,00" X 30,00"	19,53" X 29,53"	14,77 lbs	24,61" X 43,70" X 1,85"
USWP010W34	USWP011W34	32,64" X 42,64"	30,00" X 40,00"	29,53" X 39,53"	22,49 lbs	34,84" X 53,54" X 1,85"



T: +1 855-478-0652 / info@mtdisplaysllc.com / www.mtdisplaysllc.com

OPTIONAL ACCESSORIES



SwingPro® Plus & WindPro®
Plus header (3 PVC Foam)

HEADER: 3 mm PVC Foam			WEIGHT
ARTICLE	SIZE	PRINTING AREA (x-y)	WITH PACKING
UYFT005023	20" X 30"	23.03" X 7.87"	0.507 lbs
UYFT005024	30" X 40"	33.03" X 7.87"	0.738 lbs
UYFT005034	22" X 28"	25" X 7.87"	0.551 lbs
UYFT005046	24" X 36"	27.05" X 7.87"	0.595 lbs

NEWTECH WATERBASE: HDPE							WEIGHT	PACKING SIZE
SILVER	BLACK	SIZE	FOR	H	W	D	WITH PACKING	*W X H X D
UTWM003000	UTWM003010	28.35" X 20.87"	20" X 30"	42.87"	28.35"	20.87"	9.877 lbs	21.85" x 29.53" x 7.01"
			22" X 28"	40.87"	28.35"	20.87"		
			24" X 36"	48.90"	28.35"	20.87"		
UTWM004000	UTWM004010	35.43" X 24.80"	28" x 44"	55.31"	35.43"	24.80"	15.102 lbs	23.82" x 36.61" x 7.01"
			30" X 40"	52.87"	35.43"	24.80"		

PHYSICAL DATA

Material

1.57" aluminium profile snap open WindPro® frame, PET anti-reflex poster cover, PP backing, HDPE newtech base. Optional PVC Foam headers

Poster Material & Thickness

0.0039" – 0.0078" with gasket/water wick for standard product. Max poster thickness is 0.078" for low density rigid posters such as PVC foam, PP, etc. Any non-standard poster thickness should be indicated with order.

Surface Finish

Natural silver-anodized, black and wood effect in standard and various RAL colors available with antimicrobial powder coating. Base standard in dark grey color or black, other colors are available upon request. Call for custom color requests.

Recycled Content

For frame part up to 78% and for base part up to 40% recycled content used.

Warranty

All products are guaranteed for 2 Years by MT Displays with below conditions:
[Warranty Conditions](#)

Storage Conditions

Goods should be stored at 32°F to 77°F in a dry place. Store in the original package.

Installation Considerations

WindPro is packed unassembled with an easy mounting instruction sheet & fixing set. Assembly

in 60 seconds. One set includes a double sided snap open 1.57" aluminium profile WindPro frame with 1.25" depth and water wick around, round mitred corners for safety, 2 anti-reflex PET poster covers, 1 strong PP backing, 4 x M10 nuts, 1 x 17 spanner, and HDPE Newtech heavy water base with wheels and washers for installation. Please place the poster inside the water wick around the inner frame. The gasket in frame provides high vacuuming to UV resistant poster protection to keep the poster dry. Please use the wrench enclosed and tighten carefully. If tightened too much, the base can breach. Optional header accessories are available upon request, not included in standard set. If the frame of WindPro Plus is required with a "HEADER" option, then the standard frames cannot be used, header enabled frames must be ordered. Please contact our sales department for the frames suitable for use with header.

Design Considerations

Double-sided Pavement Sign with swinging steel spring design for flexibility and stability. Patent protected (OHIM DM/084 128) WindPro® is heavy and robust pavement sign for OUTDOOR use with 2 main parts: frame and the waterbase. Suitable for outdoor conditions between 5°F to 122°F. Weatherproof & Wind Resistant: Suitable for windy and rainy outdoor conditions, the water wick around the frame protects the poster within. Waterproof IP55. Suitable for 20"x30", 20" X 30", 22" X 28", 24" X 36", 30" X 40" poster sizes. Round corners guarantee maximum safety on the pavement. The spring connectors stabilize the position of your poster. Heavy-duty coil resist

strong winds and return the sign to an upright position. Heavy waterbase provide stability. Ground wheels in upside position enable easy movement of the product. It is recommend to carry the product with the tool as shown (optional available), when the base is full with water.

Cleaning and Disinfecting

Clean your displays, with damp microfiber clothes, rinsed with simply water or warm, soapy or gentle shampooed water. Avoid using vinegar, abrasive, acidic, alcohol-based or heavy cleaners or cleaners containing Ammonia. Only after cleaning the product, if needed, simply apply disinfectant or sanitizer that is in compliance with your local guidelines and regulations.

Hazardous Substances

M&T Displays prioritizes compliance with the REACH (Registration, Evaluation, Authorisation and Restriction of Chemicals) and RoHS (Restriction of Hazardous Substances) directives to protect both the environment and human health. We ensure that our products do not contain substances listed under REACH and adhere to strict RoHS limits for hazardous materials. Our manufacturing process ensures that lead, mercury, cadmium, and other restricted substances remain within the permitted thresholds, guaranteeing safe and sustainable products for our customers.

Patent

OHIM DM/084 128

PRINT TEMPLATES

Windpro - 20" x 30"

Document Size: 20.4" x 30.4" (Includes Bleeds)
Finished Size: 20" x 30" [Print](#)

Windpro - 30" x 40"


Document Size: 30.4" x 40.4" (Includes Bleeds)
Finished Size: 30" x 40" [Print](#)



INSTALLATION INSTRUCTIONS

WindPro® / 1002045

SwingPro Steel base



Each product package includes


for Swingpro Steel Base

- 2 x SwingPro side feet
- 1 x Feet connection pipe
- 2 x Feet bracket top
- 2 x Feet bracket bottom
- 2 x Washer

for Windpro Water Base


- 1 x Water base
- 2 x Washer

WindPro Waterbase



You can fill in the base by water & close the cover cap.

Poster Change



Each product package includes

for Frame

- 1 x SwingPro & WindPro Frame
- 2 x PET cover
- 4 x Nut M10
- 1 x 17 spanner



WARNING !

- Please use the wrench enclosed and tighten carefully. When tighten too much, the base can breach.
- It is recommend to carry the product with the tool as shown (optional available) , when the base is full with water.



- Please inform the order number on the product or on the carton (e.g. 1/110001394-460) to the place that you have made the purchase if any problem with the product occurs.
- Bitte teilen Sie bei jeglichen Problemen, die auf dem Artikel oder auf der Verpackung aufgeführte Auftragsnummer (z.B: 1/110001394-460) Ihrem Händler mit.
- Lütfen üründeki herhangi bir sorun için ürünün veya paketin üzerindeki sipariş numarasını (örnek: 1/110001394-460) satın aldığınız yere bildiriniz.
- All rights reserved. All pictures, figures and writings are secured internationally by copy-right law. Infringements will be sued by civil and legal law.
- Alle Rechte vorbehalten. Alle Bilder, Zeichnungen und Texte sind international urheberrechtlich geschützt. Etwaige Zuwiderhandlungen werden zivil- und strafrechtlich verfolgt.
- Tüm hakları saklıdır. Tüm resimlerin, şemaların ve yazıların kopya hakları uluslararası kanunlarla güvence altına alınmıştır. İhlali durumunda sivil ve hukuki yasa mercii tarafından dava edilecektir.

This technical sheet's contents are all subject to update and modification at MT Displays' exclusive discretion. There is nothing official about this document. For final and legally binding information, please get in touch with the sales staff at MT Displays.



T: +1 855-478-0652 / info@mtdisplaysllc.com / www.mtdisplaysllc.com