

WEATHERPROOF A BOARD



DOUBLE SIDED SIDEWALK SIGNS WITH EASY SNAP OPENING WEATHERPROOF DESIGN

35 mm weatherproof. Suitable for use under rainy outdoor conditions. When poster is placed inside the water wick, it is protected, weatherproof. Header board and brochure basket options are present. Easy-to-open snap frame includes the anti-reflex cover in all standard A boards. Frame size alternatives are 22"x28", 24"x36", 20"x30", 30"x40".

KEY SELECTION ATTRIBUTES

* Patent protected, double-sided Pavement Sign with easy-to-open snap frame design, suitable for weatherproof usage.

* Suitable for use under rainy outdoor conditions with 22"x28", 24"x36", 20"x30", 30"x40" poster sizes.

* One set includes double sided 35mm aluminium profile snap open frames with sealing and water drainage slots on bottom profiles, UV resistant and anti-reflex PET poster covers, PS backings, mill finish legs, hinges, and scissors for keeping the system stable.

* Weatherproof IP55: When poster is placed inside the water wick, it is protected.

* Optional Wire Header Holder, Header Board and Brochure Baskets are not included, should be ordered separately.


* Please use pull sticker to take off cover.

* Natural silver-anodized, black in standard and various RAL colors available with antimicrobial powder coating.

* Packed in a single box with easy mounting instruction sheet. No tool assembly.



COLOURS IN STOCK



Silver Black

COLOUR OPTIONS

Black Anodised

Silver Anodised

White - RAL 9003

Black - RAL 9005

Red- RAL 3020

Blue - RAL 5002

Green - RAL 6029

Yellow - RAL 1021

SUITABLE FOR


Weatherproof A Boards can be used for INDOOR and OUTDOOR applications, for signage needs in many locations like shopping centers, markets, groceries, hotels, offices airports, shops and stores, hospitals, schools, apartments and many more.

WATCH VIDEO



Watch video at our website
www.mtdisplaysllc.com


FEATURES



EXPLODED VIEW



TECHNICAL DRAWING



ARTICLES

ARTICLE	POSTER	X	Y	H	WEIGHT	PACKING SIZE
					WITH PACKING	*W X H X D
UAB3550N22	22"X 28"	24.49"	28.86"	37.40"	17.636 lbs	25.39"X 41.34" X 4.33"

HEADER			WEIGHT
ARTICLE	F1	F2	WITH PACKING
UYTT355022	24.60"	21.45"	

HEADER HOLDER		WEIGHT
ARTICLE	X	WITH PACKING
UYFT355022	22.24"	

OPTIONAL ACCESSORIES



A Board wire header holder.



T: +1 855-478-0652 / info@mtdisplaysllc.com / www.mtdisplaysllc.com

PHYSICAL DATA

Material

1.26" aluminium profile click clack snap open frame, UV resistant and anti-reflex PET poster cover, galvanised metal PS backing. PVC Foam optional header.

Poster Material & Thickness

0.0039" – 0.0078" with gasket/water wick for standard product. Max. poster thickness is 0.08" for low density rigid posters such as PVC foam, PP, etc. Any non-standard poster thickness should be indicated with order.

Surface Finish

Natural silver-anodized, or black in standard and various RAL colors available with antimicrobial powder coating. Call for custom color requests.

Recycled Content

Up to 78% recycled content used.

Warranty

All products are guaranteed for 2 years by MT Displays with below conditions:

[Warranty Conditions](#)

Installation Considerations

Weatherproof A Boards are packed in a single box with an easy-to-understand instruction sheet. No tool assembly. One set includes double sided 35mm aluminium profile snap open frames with sealing and water drainage slots on bottom profiles, PET anti-reflex poster covers, PS backings, mill finish legs, hinges, and scissors for keeping the system stable. Please use pull sticker to take off cover. Optional Wire Header Holder, Header Board and Brochure Baskets are not included, should be ordered separately.

Storage Conditions

Goods should be stored at 32°F to 77°F in a dry place. Store in the original package.

Design Considerations

Patent protected, double-sided Pavement Sign with easy-to-open snap frame design. Suitable for use under rainy outdoor conditions with 20"x30" and 30"x40" poster sizes. Weatherproof IP55: When poster is placed inside the water wick, it is protected. Suitable for silk screen printing, max. letter height is 0.63".

Hazardous Substances

Displays Market prioritizes compliance with the REACH (Registration, Evaluation, Authorisation and Restriction of Chemicals) and RoHS (Restriction of Hazardous Substances) directives to protect both the environment and human health. We ensure that our products do not contain substances listed under REACH and adhere to strict RoHS limits for hazardous materials. Our manufacturing process ensures that lead, mercury, cadmium, and other restricted substances remain within the permitted thresholds, guaranteeing safe and sustainable products for our customers

Cleaning and Disinfecting

Clean your displays, with damp microfiber clothes, rinsed with simply water or warm, soapy or gentle shampooed water. Avoid using vinegar, abrasive, acidic, alcohol-based or heavy cleaners or cleaners containing Ammonia. Only after cleaning the product, if needed, simply apply disinfectant or sanitizer that is in compliance with your local guidelines and regulations.

Patent

PCT/EP2018/060515

PRINT TEMPLATES


Weatherproof A Board - 22" x 28"

Document Size: 22.4" x 28.4" (Includes Bleeds)

Finished Size: 22" x 28" (558.8 x 711.2 mm)

INSTALLATION INSTRUCTIONS


Weatherproof A Board / 1007029



Optional Header & Header Holder



Optional Basket



Note: Wire header holder, PVC Foam header and baskets are optional.



• Please inform the order number on the product or on the carton (e.g. 1/110001394-460) to the place that you have made the purchase if any problem with the product occurs.
• All rights reserved. All pictures, figures and writings are secured internationally by copy-right law. Infringements will be sued by civil and legal law.

This technical sheet's contents are all subject to update and modification at MT Displays' exclusive discretion. There is nothing official about this document. For final and legally binding information, please get in touch with the sales staff at MT Displays.



T: +1 855-478-0652 / info@mtdisplaysllc.com / www.mtdisplaysllc.com